



## Specifications: Locktite Asbestos Encapsulant, Available in Blue, Clear or White! 5 gallon Pail, 55 gallon Drum

Appearance:	Milky White / Dries Clear
Odor:	Slight
Boiling Point:	>212°F
Vapor Density:	Heavier than air
pH:	7-8.5
Flash Point:	None
DOT Shipping Class:	55
Shipping Weight:	5 gal. pail 45lbs. 55 gal. drum 510lbs
Specific Gravity:	1.002
Solubility:	Dispersable
Reactivity:	Stable
HMIS Rating:	1-0-0
Shelf Life:	2 years

DOT Shipping Name: COMBUSTIBLE LIQUID,  
NOS (ESTERBLEND) COMBUSTIBLE LIQUID, NA  
1993, PG II  
DOT Hazard Label: NONE ON CONTAINERS  
HAVE LESS THAN 110 GALLONS

Twin-Chemicals  
Atlanta, Georgia

(800) 442-4958  
(770) 924-6147 fax

[www.twin-chemicals.com](http://www.twin-chemicals.com)



**PRONTO LOCKTITE** is an economical and efficient asbestos lockdown encapsulant. This is a ready to use product that is designed to lock down asbestos fibers in your work areas and help you pass even the most aggressive air tests. **PRONTO LOCKTITE** penetrates asbestos rapidly and completely. When it penetrates, it absorbs onto the individual fibers to lock them together, reducing the possibility of loose fibers from becoming airborne during the removal process.

#### Directions:

1. Read and understand material safety data sheet when using this product.
2. Use full strength. Using an appropriate airless sprayer, mist all surfaces to lock down loose asbestos fibers on all fireproof insulation, protective barriers and ground/floor areas after any removal procedure.



TWIN CHEMICALS, INC.

(800) 442-4958 / (770) 924-6147 Fax  
[www.twin-chemicals.com](http://www.twin-chemicals.com)  
©2010 Twin Chemicals, Inc.



No part of this publication may be reproduced or transmitted without the written consent of Twin Chemicals, Inc.

MATERIAL SAFETY DATA SHEET  
PRONTO LOCKTITE

MEETS REQUIREMENTS UNDER 29 CFR 1910.1200

**PRODUCT IDENTIFICATION:**

TRADE NAME: **PRONTO LOCKTITE**  
MANUFACTURED BY: TWIN-CHEMICALS  
6175 Hickory Flat Hwy. Suite 110-344  
Canton, GA 30115  
CUSTOMER SERVICE PHONE: (800) 442-4958  
EMERGENCY PHONE: (800) 552-3787  
PREPARED BY: Cliff Cantrell  
DATE PREPARED: July 12, 2002

**COMPONENTS HAZARD INFORMATION:**

OSHA	ACGIH	MAX%
PEL	TLV	%W

CAS # \*

Contains No Active Hazardous Materials.....

HMIS RATING: HEALTH: 1 FIRE: 0 REACTIVITY: 2 PERSONAL PROTECTION: A

**PHYSICAL DATA:**

BOILING POINT: >212<sup>o</sup> F SPECIFIC GRAVITY (WATER=1): 1.002  
VAPOR PRESSURE (MM HG): ND MELTING POINT < 0 F  
VAPOR DENSITY (AIR=1) ND EVAPORATION RATE (WATER=1): ND  
APPEARANCE AND ODOR: Milky White with slight odor  
SOLUBILITY IN WATER: COMPLETE pH: 7 to 8.5

**FIRE AND EXPLOSION DATA:**

FLASH POINT: none  
FLAMMABLE LIMITS: NOT FLAMMABLE  
EXTINGUISHING MEDIA: WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, AND HALON.  
SPECIAL FIRE FIGHTING PROCEDURES: NONE  
UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE

**REACTIVITY DATA:**

STABILITY: STABLE  
INCOMPATIBILITY (MATERIALS TO AVOID) NONE  
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: NONE  
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

**HEALTH HAZARD DATA:**

CARCINOGENICITY: NTP: NO IARC MONOGRAPHS: NO OSHA REGULATED: NO  
ROUTE (S) OF ENTRY INHALATION? Not expected SKIN? YES EYES? YES INGESTION? YES  
HEALTH HAZARDS (ACUTE AND CHRONIC) May cause irritation to eyes. Repeated use may lead to drying or reddening of skin.  
SIGNS AND SYMPTOMS OF EXPOSURE:  
INHALATION: NOT EXPECTED  
INGESTION: MAY CAUSE IRRITATION TO THE ENTIRE GASTROINTESTINAL TRACT.  
SKIN CONTACT: PROLONGED CONTACT MAY CAUSE IRRITATION TO SENSITIVE INDIVIDUALS.  
EYE CONTACT: CONTACT MAY CAUSE IRRITATION.  
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: NONE KNOWN

**EMERGENCY AND FIRST AID PROCEDURES:**

INGESTION: DRINK LOTS OF WATER TO DILUTE, INDUCE VOMITING BY STICKING FINGER DOWN THROAT. GET MEDICAL HELP.  
INHALATION: MOVE VICTIM TO FRESH AIR. IF NECESSARY SUPPORT BREATHING. IF BREATHING DOES NOT RETURN TO NORMAL WITHIN A FEW MINUTES, GET MEDICAL ATTENTION.  
EYE CONTACT: IMMEDIATELY FLUSH THE EYES FOR AT LEAST 15 MINUTES WITH LARGE AMOUNTS OF GENTLE, FLOWING WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION.  
SKIN CONTACT: FLUSH SKIN WITH WATER AND THEN WASH WITH SOAP AND WATER.

**MATERIAL SAFETY DATA SHEET  
PRONTO LOCKTITE**

---

**PRECAUTIONS FOR SAFE HANDLING, USE, AND DISPOSAL:**

SPILLS STOP SPILL AT SOURCE. FOR SMALL SPILLS FLUSH AWAY WITH WATER. FLOORS MAY BECOME SLIPPERY - AVOID FALL. FOR LARGE SPILLS, PUMP LIQUID INTO SALVAGE TANK, ABSORB WITH SAND, EARTH OR OTHER SUITABLE ABSORBENT. DISPOSAL MUST BE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

WASTE DISPOSAL: UNCONTAMINATED PRODUCT DOES NOT MEET RCRA DEFINITIONS OF HAZARDOUS CHECK LOCAL REGULATIONS BEFORE DISPOSAL.

HANDLING AND STORING: KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.

AVOID CONTACT WITH SKIN AND EYES. STORE IN COOL, DRY AREA AWAY FROM SOURCES OF HEAT. WASHING WILL NOT MAKE CONTAINER SAFE FOR FOOD OR COSMETIC STORAGE.

---

**SPECIAL PROTECTION AND CONTROL MEASURES:**

RESPIRATORY PROTECTION: NA

VENTILATION: MECHANICAL WHEN USED IN ENCLOSED AREAS.

PROTECTIVE GLOVES: NA

EYE PROTECTION: NA

---

**REPORTING REQUIREMENTS:**

**SARA TITLE III**

**REPORTING REQUIREMENTS**

SECTION 302- EXTREME HAZARDOUS SUBSTANCES

NOT REQUIRED

SECTION 304- HAZARDOUS RELEASES

NOT REQUIRED

SECTION 311- COMMUNITY RIGHT TO KNOW (R-T-K)

NOT LISTED

SECTION 312- R-T-K INVENTORY DATA

NOT LISTED

SECTION 313- EMISSIONS AND RELEASE

NOT LISTED

CERCLA

THIS PRODUCT NOT REPORTABLE

---

THE INFORMATION CONTAINED HEREIN IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE SO. USERS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED THAT INFORMATION IS CURRENT, APPLICABLE AND SUITED TO THE CIRCUMSTANCES OF USE. VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSONS PROXIMATELY CAUSED BY THE MATERIAL IF REASONABLE SAFETY PROCEDURES ARE NOT ADHERED TO AS STIPULATED IN THE DATA SHEET. FURTHERMORE VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY CAUSED BY ABNORMAL USE OF THIS MATERIAL EVEN IF REASONABLE SAFETY PROCEDURES IS FOLLOWED.