

Specifications: Pronto EXTRA-Wetter Concentrated Surfactant, 5 gallon pails

Appearance:	Green/Blue Liquid
Odor:	Slight
Boiling Point:	218F
Vapor Density:	Not Determined
pH:	Neutral
Flash Point:	N/A
DOT Shipping Class:	55
Shipping Weight:	5 gal. pail 45lbs. 55 gal. drum 495lbs
Specific Gravity:	1.01
Solubility:	Emulsifiable
Reactivity:	Stable
HMS Rating:	1-0-1
Shelf Life:	2 years
DOT Shipping Name:	Not hazardous

Twin-Chemicals
Atlanta, Georgia

(800) 442-4958
(770) 924-6147 fax

www.twin-chemicals.com



EXTRA-Wetter is effective in reducing asbestos fiber counts during removal and demolition operations. By using EXTRA-WETTER, the volume of water needed to wet our and control the spread of dust and fiber particulate is reduced. This will aid in keeping work areas less messy. EXTRA-WETTER keeps particles wetter longer with less mess and with less application time by breaking up water droplets into finer mist, covering surfaces faster. Dilute 1:200. Diluted, surface tension is reduced from 100 dynes/sq.cm to 29 dynes/ sq. cm, ASTM #D 1331. **NON-FLAMMABLE.**

Directions:

1. Read and understand material safety data sheet when using this product.
2. Apply EXTRA-WETTER with any suitable low pressure spray applicator.
3. Mix one part EXTRA-WETTER with 200 parts water and spray onto all surfaces until thoroughly wetted. Use a coarse spray. Do not atomize.
4. Reapply when surfaces start to dry. Coverage and reapplication intervals will depend on surface characteristics, temperature and humidity.



TWIN CHEMICALS, INC.

(800) 442-4958 / (770) 924-6147 Fax
www.twin-chemicals.com
©2010 Twin Chemicals, Inc.



MATERIAL SAFETY DATA SHEET

PRONTO Extra-Wetter

MEETS REQUIREMENTS UNDER 29 CFR 1910.1200

PRODUCT IDENTIFICATION:

TRADE NAME: PRONTO Extra-Wetter
MANUFACTURED BY: TWIN-CHEM, INC.
6175 Hickory Flat Hwy. Suite 110-344
Canton, GA 30115

CUSTOMER SERVICE PHONE: (800) 442-4958
EMERGENCY PHONE: (800) 552-3787
PREPARED BY: Clifford Cantrell
DATE PREPARED: 3-1-06

Table with 4 columns: COMPONENTS HAZARD INFORMATION, OSHA PEL, ACGIH TLV, MAX% %W

None are considered to be hazardous.....

HMIS RATING: HEALTH: 1 FIRE: 0 REACTIVITY: 1 PERSONAL PROTECTION: B

PHYSICAL DATA:

BOILING POINT: > 212° F
VAPOR PRESSURE (MM HG): ND
VAPOR DENSITY (AIR=1): ND
APPEARANCE AND ODOR: CLEAR LIQUID WITH NO ODOR
SOLUBILITY IN WATER: EMULSIFIABLE

FIRE AND EXPLOSION DATA:

FLASH POINT: NOT FLAMMABLE
FLAMMABLE LIMITS: NA
EXTINGUISHING MEDIA: WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, AND HALON.
SPECIAL FIRE FIGHTING PROCEDURES: NONE
UNUSUAL FIRE AND EXPLOSION HAZARDS: Slippery on floors: be cautious for footing if containers leaking or burst due to heat.
Contains organic material, can release CO2 if burned.

REACTIVITY DATA:

STABILITY: STABLE
INCOMPATIBILITY (MATERIALS TO AVOID) DO NOT MIX WITH OTHER CHEMICALS
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: HEAT, VARIOUS UNIDENTIFIED ORGANIC COMPOUNDS.
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

HEALTH HAZARD DATA:

CARCINOGENICITY: NTP: NO IARC MONOGRAPHS: NO OSHA REGULATED: NO
ROUTE(S) OF ENTRY INHALATION? YES SKIN? YES EYES? YES INGESTION? YES
HEALTH HAZARDS (ACUTE AND CHRONIC) NONE KNOWN

SIGNS AND SYMPTOMS OF EXPOSURE:

INHALATION: Not expected to have any effect
INGESTION: May cause irritation to the gastrointestinal tract.
SKIN CONTACT: PROLONGED CONTACT MAY CAUSE IRRITATION TO SENSITIVE INDIVIDUALS.
EYE CONTACT: CONTACT WILL CAUSE IRRITATION.
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: NONE KNOWN

EMERGENCY AND FIRST AID PROCEDURES:

INGESTION: DO NOT INDUCE VOMITING. DRINK LOTS OF WATER TO DILUTE. GET MEDICAL ATTENTION IMMEDIATELY.
NOTE TO TREATING PHYSICIAN: SOLVENTS MAY BE ASPIRED INTO LUNGS.
INHALATION: MOVE VICTIM TO FRESH AIR.
EYE CONTACT: IMMEDIATELY FLUSH THE EYES FOR AT LEAST 15 MINUTES WITH LARGE AMOUNTS OF GENTLE, FLOWING WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION.
SKIN CONTACT: FLUSH SKIN WITH WATER AND THEN WASH WITH SOAP AND WATER

MATERIAL SAFETY DATA SHEET
PRONTO Extra-Wetter

PRECAUTIONS FOR SAFE HANDLING, USE, AND DISPOSAL:

SPILLS Large spill can not occur because of packaging. Material should be soaked onto absorbent and shoveled into waste containers. Dispose of contaminated absorbent material in accordance to local, state and federal regulations. Do not release to open, public waters.

HANDLING AND STORING: KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.

WARNING! EMPTIED CONTAINER RETAINS PRODUCT RESIDUE AND VAPORS. OBSERVE ALL PRECAUTIONS EVEN AFTER CONTAINER IS EMPTIED. WASHING WILL NOT MAKE CONTAINER SAFE FOR FOOD OR COSMETIC STORAGE.

TRANSPORTATION: DOT 49 CFR 172.102

DOT SHIPPING NAME: NOT HAZARDOUS

SPECIAL PROTECTION AND CONTROL MEASURES:

RESPIRATORY PROTECTION: Not needed

VENTILATION: ADEQUATE MECHANICAL WHEN USED IN ENCLOSED AREAS.

PROTECTIVE GLOVES: CHEMICAL RESISTANT

EYE PROTECTION: CHEMICAL RESISTANT

REPORTING REQUIREMENTS:

SECTION 302- EXTREME HAZARDOUS SUBSTANCES

SECTION 304- HAZARDOUS RELEASES

SECTION 311- COMMUNITY RIGHT TO KNOW(R-T-K)

SECTION 312- R-T-K INVENTORY DATA

SECTION 313- EMISSIONS AND RELEASE

CERCLA

SARA TITLE III

REPORTING REQUIREMENTS

NOT REQUIRED

NOT REQUIRED

REPORTING REQUIRED FOR INVENTORY ABOVE TPQ.

REPORTING REQUIRED FOR INVENTORY ABOVE TPQ.

REPORTING MAY BE REQUIRED.

SAME AS SECTION 304

THE INFORMATION CONTAINED HEREIN IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE SO. USERS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED THAT INFORMATION IS CURRENT, APPLICABLE AND SUITED TO THE CIRCUMSTANCES OF USE. VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSONS PROXIMATELY CAUSED BY THE MATERIAL IF REASONABLE SAFETY PROCEDURES ARE NOT ADHERED TO AS STIPULATED IN THE DATA SHEET. FURTHERMORE VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY CAUSED BY ABNORMAL USE OF THIS MATERIAL EVEN IF REASONABLE SAFETY PROCEDURES ARE FOLLOWED.