



*"Solving the environments problems with environmentally friendly solutions"*

# **PRONTO GRAFFITI REMOVER**

## ***Soy Based Graffiti Remover***

**PRONTO Graffiti Remover** is a soy-based gel that is designed and formulated to remove graffiti from almost any surface. Formulated to be a versatile product, **PRONTO Graffiti Remover** will cling to vertical surfaces and fill detailed, intricate areas in grooved or carved areas so that paint removal can be complete. **PRONTO Graffiti Remover** produces no toxic fumes, is non-flammable and is environmentally safe.

### ***PRONTO Graffiti Remover:***

- Does not contain Methylene Chloride and is non-caustic
- Biodegradable and Water Rinseable - **requires no neutralization.**
- Can be applied on interior or exterior surfaces. Will not raise wood grain.
- Non-flammable - has a flash point greater than 164 degrees F.
- Can be used on a variety of surfaces including wood, metal, marble, brick, plaster, concrete, masonry and fiberglass.
- Removes most types of marker

### **Specifications:**

Appearance-----	Clear Gel	Odor-----	Slight
Boiling Point-----	>212 F.	Vapor Density-----	ND
pH-----	Neutral	Flash Point-----	164 F. TCC
DOT Shipping Class-----	55	Shipping Weight 5 gallon pail-----	40 lbs.

**Directions for use:** Spray onto graffiti, allow sufficient time for the paint or marker to be cut, scrub with nylon bristle brush and rinse, or pressure wash off.

### **Safety Precautions:**

**DANGER! CAUSES EYE AND SKIN IRRITATION.** CAUTION: To protect eyes and hands use protective glasses or splash goggles and rubber gloves. For skin irritation flush with water and call physician. Avoid eye contact. If eye contact occurs, immediately flush eyes with water for 15 minutes holding eyelids open and call physician. If swallowed, do not induce vomiting, immediately call a physician. Normal ventilation required. Federal state and local regulations should also be followed. Do not heat or apply to hot surfaces. Use with adequate ventilation.



6175 Hickory Flat Hwy. Suite 110-344 Canton, GA 30115  
800) 442-4958 / (770) 924-6147  
[www.twin-chemicals.com](http://www.twin-chemicals.com)

MATERIAL SAFETY DATA SHEET  
**PRONTO GRAFFITI REMOVER**

MEETS REQUIREMENTS UNDER 29 CFR 1910.1200

**PRODUCT IDENTIFICATION:**

TRADE NAME:  
SOLD BY:

**PRONTO GRAFFITI REMOVER**  
TWIN-CHEM, INC.  
6175 Hickory Flat Hwy. Suite 110-344  
Canton, GA 30115

CUSTOMER SERVICE PHONE:  
EMERGENCY PHONE:  
PREPARED BY:  
DATE PREPARED:

(800) 442-4958  
(800) 552-3787  
SALIENT CORPORATION CLIFFORD M. CANTRELL  
May 13, 2005

**COMPONENTS HAZARD INFORMATION:**

OSHA	ACGIH	MAX%
PEL	TLV	%W

Does not contain any ingredients requiring listing per U.S. O.S.H.A under 29 CFR 1910.1200

HMIS RATING: HEALTH: 1 FIRE: 2 REACTIVITY: 0 PERSONAL PROTECTION: B

**PHYSICAL DATA:**

BOILING POINT: > 292° F	SPECIFIC GRAVITY (WATER=1): >0.94-0.95
VAPOR PRESSURE (MM HG): 0.9 @68 DEGREES F.	MELTING POINT N.A.
VAPOR DENSITY (AIR=1) 4.15	EVAPORATION RATE (WATER=1): >1.0
APPEARANCE AND ODOR: CLEAR LIQUID WITH BLAND ODOR	
SOLUBILITY IN WATER: 50%	VOC: None BIODEGRADABILITY: BIODEGRADABLE

**FIRE AND EXPLOSION DATA:**

FLASH POINT: 164° F (TCC)  
FLAMMABLE LIMITS: NOT DETERMINED  
EXTINGUISHING MEDIA: WATER FOG, CARBON DIOXIDE, AND ALCOHOL FOAM.  
SPECIAL FIRE FIGHTING PROCEDURES: COMBUSTION BYPRODUCTS MAY BE TOXIC. WEAR FULL PROTECTIVE CLOTHING AND SELF CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES INVOLVING THIS PRODUCT.  
UNUSUAL FIRE AND EXPLOSION HAZARDS: WATER STREAM OR WATER FLOODING MAY CAUSE FIRE TO SPREAD BY FLOATING

**REACTIVITY DATA:**

STABILITY: STABLE  
INCOMPATIBILITY (MATERIALS TO AVOID) DOES NOT MIX WITH OTHER CHEMICALS UNLESS INSTRUCTED TO DO SO BY THE MANUFACTURER.  
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: HEAT, CARBON DIOXIDE, AND VARIOUS UNIDENTIFIED ORGANIC COMPOUNDS.  
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

**HEALTH HAZARD DATA:**

CARCINOGENICITY: NTP: NO IARC MONOGRAPHS: NO OSHA REGULATED: NO  
ROUTE (S) OF ENTRY INHALATION? YES SKIN? YES EYES? YES INGESTION? YES  
HEALTH HAZARDS (ACUTE AND CHRONIC) MAY IRRITATE EYES.  
SIGNS AND SYMPTOMS OF EXPOSURE:  
INHALATION: IRRITATION OF RESPIRATORY SYSTEM WITH POSSIBLE DIFFICULTY IN BREATHING.  
INGESTION: MAY CAUSE GASTRIC DISTRESS, CHEMICAL BURNS, DIARRHEA AND VOMITING. PRODUCT HAS A LOW ORAL TOXICITY (LD 50 > 4090 mg/kg, RAT) BUT MIGHT BE ASPERATED INTO LUNGS.  
SKIN CONTACT: NOT AN IRRITANT  
EYE CONTACT: IRRITANT  
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: NONE KNOWN

**EMERGENCY AND FIRST AID PROCEDURES:**

INGESTION: ADMINISTER LARGE QUANTITIES (3-4 LARGE GLASSES) OF WATER. INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.  
**NOTE TO TREATING PHYSICIAN: SOLVENTS MAY BE ASPIRED INTO LUNGS.**  
INHALATION: MOVE VICTIM TO FRESH AIR. IF NECESSARY SUPPORT BREATHING. IF BREATHING DOES NOT RETURN TO NORMAL WITHIN A FEW MINUTES, GET MEDICAL ATTENTION.  
EYE CONTACT: IMMEDIATELY FLUSH THE EYES FOR AT LEAST 15 MINUTES WITH LARGE AMOUNTS OF GENTLE, FLOWING WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION.  
SKIN CONTACT: WASH WITH SOAP AND WATER

**MATERIAL SAFETY DATA SHEET  
PRONTO GRAFFITI REMOVER**

**PRECAUTIONS FOR SAFE HANDLING, USE, AND DISPOSAL:**

SPILLS \* EXTINGUISH ALL SOURCES OF IGNITION.  
\* DIKE AREA AND ABSORB ON AN INERT ABSORBENT (SAND, VERMICULITE OR CLAY).  
\* PLACE IN CHEMICAL CONTAINER FOR DISPOSAL. RINSE AREA WITH WATER.  
WASTE DISPOSAL: UNCONTAMINATED PRODUCT DOES NOT MEET RCRA DEFINITIONS OF HAZARDOUS (FLAMMABLE) WASTE.  
CHECK LOCAL REGULATIONS BEFORE DISPOSAL. PRODUCT MAY BE OFFERED FOR FUEL BLENDING/INCINERATION.  
HANDLING AND STORING: KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.  
WARNING! EMPTIED CONTAINER RETAINS PRODUCT RESIDUE AND VAPORS. OBSERVE ALL PRECAUTIONS EVEN AFTER  
CONTAINER IS EMPTIED. WASHING WILL NOT MAKE CONTAINER SAFE FOR FOOD OR COSMETIC STORAGE.

**TRANSPORTATION:** DOT 49 CFR 172.102  
**DOT SHIPPING NAME:** COMBUSTIBLE LIQUID, NOS (ESTERBLEND)  
COMBUSTIBLE LIQUID, NA 1993, PG II  
**DOT HAZARD LABEL:** NONE ON CONTAINERS HAVE LESS THAN 110 GALLONS

**SPECIAL PROTECTION AND CONTROL MEASURES:**

RESPIRATORY PROTECTION: NOT REQUIRED WHEN ADAQUATE VENTILLATION EXISTS  
VENTILATION: MECHANICAL WHEN USED IN ENCLOSED AREAS, RECOMMENDED.  
PROTECTIVE GLOVES: RUBBER OR NEOPRENE.  
EYE PROTECTION: CHEMICAL GOGGLES.  
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: AS REQUIRED TO PREVENT DIRECT SKIN CONTACT. SOLVENT PROOF FOOT WARE  
RECOMMENDED. WASH CONTAMINATED CLOTHING BEFORE REWEARING.

**REPORTING REQUIREMENTS:**

SECTION 302- EXTREME HAZARDOUS SUBSTANCES	SARA TITLE III REPORTING REQUIREMENTS NOT REQUIRED
SECTION 304- HAZARDOUS RELEASES	NOT REQUIRED
SECTION 311- COMMUNITY RIGHT TO KNOW (R-T-K)	REPORTING REQUIRED FOR INVENTORY ABOVE TPQ.
SECTION 312- R-T-K INVENTORY DATA	REPORTING REQUIRED FOR INVENTORY ABOVE TPQ.
SECTION 313- EMISSIONS AND RELEASE	NOT REQUIRED.
CERCLA	SAME AS SECTION 304

-----THE INFORMATION  
CONTAINED HEREIN IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE SO. USERS ARE ADVISED TO CONFIRM IN ADVANCE OF  
NEED THAT INFORMATION IS CURRENT, APPLICABLE AND SUITED TO THE CIRCUMSTANCES OF USE. VENDOR ASSUMES NO RESPONSIBILITY  
FOR INJURY TO VENDEE OR THIRD PERSONS PROXIMATELY CAUSED BY THE MATERIAL IF REASONABLE SAFETY PROCEDURES ARE NOT  
ADHERED TO AS STIPULATED IN THE DATA SHEET. FURTHERMORE. VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY CAUSED BY  
ABNORMAL USE OF THIS MATERIAL EVEN IF REASONABLE SAFETY PROCEDURES IS FOLLOWED.