



Specifications: Pro Clean No Odor Mastic Remover 5 gallon Pail and 55 Gallon Drum

Appearance:	Clear
Odor:	Extremely Low
Boiling Point:	>300
Vapor Density:	Heavier than Air
pH:	Neutral
Flash Point:	>142 F (TCC)
DOT Shipping Class:	55
Shipping Weight:	5 gal. pail 35 lbs. 55 gal. drum 386 lbs.
Specific Gravity:	.824
Solubility:	Water emulsifiable
Coverage Rate:	Up to 225 sq. ft. per gallon
Reactivity:	Stable
HMS Rating:	1-2-0
Shelf Life:	None
DOT Shipping Name:	Not DOT Regulated On containers less than 120 gallons

Twin-Chemicals
Atlanta, Georgia

(800) 442-4958
(770) 924-6147 fax

www.twin-chemicals.com



Pro Clean is designed to give you the maximum power while still being in the no odor category. It quickly cuts through mastic to get the job done and has a superior surfactant system that allows for easy rinsing and final cleaning. This product will get the job done with fewer odor complaints while dissolving the mastic with the speed you need.

Directions:

1. Read and understand material safety data sheet when using this product.
2. Cover and dike walls, woodwork, drains and cracks.
3. Apply Pro Clean over all black mastic and adhesives. This may be done manually or with garden sprayer to 5' x 5' square areas.
4. Use a stiff bristled broom to agitate over the area. More than one application may be necessary.
5. Allow as little time as necessary to let Pro Clean penetrate and soften adhesive.
6. After the mastic is dissolved use a squeegee to clean up liquefied mastic and dispose of properly. The use of absorbents may aid in this process.
7. Aggressively clean surface with water and **Pronto Extra Wetter wetting agent** detergent for best results. Allow the surface to dry a minimum of 24-36 hours before applying new mastic and new flooring.



TWIN CHEMICALS, INC.

(800) 442-4958 / (770) 924-6147 Fax
www.twin-chemicals.com
©2010 Twin Chemicals, Inc.



No part of this publication may be reproduced or transmitted without the written consent of Twin Chemicals, Inc.

**MATERIAL SAFETY DATA SHEET
PROCLEAN NO ODOR**

MEETS REQUIREMENTS UNDER 29 CFR 1910.1200

PRODUCT IDENTIFICATION:

TRADE NAME:	PROCLEAN NO ODOR
SOLD BY:	TWIN-CHEM, INC. 6175 Hickory Flat Hwy. Suite 110-344 Canton, GA 30115 (800) 442-4958
CUSTOMER SERVICE PHONE:	(800) 552-3787
EMERGENCY PHONE:	Cliff Cantrell
PREPARED BY:	February 1, 2007
DATE PREPARED:	

COMPONENTS HAZARD INFORMATION:

	OSHA PEL	ACGIH TLV	MAX% %W
A BLEND OF ONE OR MORE ALIPHATIC HYDROCARBONS	400 ppm	400 PPM	< 100 *
A BLEND OF ONE OR MORE GLYCOL ETHERS	N/E	N/E	< 25 *

NOTE: GLYCOL ETHERS MAY BE SUBJECT TO SARA 313 AND 40 CFR 372 REPORTING REQUIREMENTS

* COMBUSTIBLE LIQUID

HMS RATING: HEALTH: 1 FIRE: 2 REACTIVITY: 0 PERSONAL PROTECTION: B

PHYSICAL DATA:

BOILING POINT:	> 300° F	SPECIFIC GRAVITY (WATER=1):	0.824
VAPOR PRESSURE (MM HG):	< 4	MELTING POINT	< 0 F
VAPOR DENSITY (AIR=1)	> 1	EVAPORATION RATE (WATER=1):	< 1.0
APPEARANCE AND ODOR:	CLEAR LIQUID WITH MILD ODOR		
SOLUBILITY IN WATER:	EMULSIFIABLE		

FIRE AND EXPLOSION DATA:

FLASH POINT: 142° F (TCC)
FLAMMABLE LIMITS: NOT DETERMINED
EXTINGUISHING MEDIA: WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, HALON.
SPECIAL FIRE FIGHTING PROCEDURES: WEAR FULL PROTECTIVE CLOTHING AND SELF CONTAINED BREATHING APPARATUS.
UNUSUAL FIRE AND EXPLOSION HAZARDS: EMPTY AND PARTIALLY FILLED DRUMS MAY EXPLODE WHEN EXPOSED TO FIRE CONDITIONS.

REACTIVITY DATA:

STABILITY: STABLE
INCOMPATIBILITY (MATERIALS TO AVOID) DO NOT MIX WITH OTHER CHEMICALS
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: HEAT, VARIOUS UNIDENTIFIED ORGANIC COMPOUNDS.
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

HEALTH HAZARD DATA:

CARCINOGENICITY: NTP: NO IARC MONOGRAPHS: NO OSHA REGULATED: NO
ROUTE(S) OF ENTRY INHALATION? YES SKIN? YES EYES? YES INGESTION? YES
HEALTH HAZARDS (ACUTE AND CHRONIC) NONE KNOWN
SIGNS AND SYMPTOMS OF EXPOSURE:
INHALATION: PROLONGED OR EXCESSIVE EXPOSURE MAY RESULT IN IRRITATION OF RESPIRATORY SYSTEM WITH POSSIBLE DIFFICULTY IN BREATHING.
INGESTION: SMALL AMOUNTS MAY CAUSE EXTREME GASTRIC PAIN, DIARRHEA, AND VOMITING.
SKIN CONTACT: PROLONGED CONTACT MAY CAUSE IRRITATION TO SENSITIVE INDIVIDUALS.
EYE CONTACT: CONTACT MAY CAUSE MINOR IRRITATION.
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: NONE KNOWN

EMERGENCY AND FIRST AID PROCEDURES:

INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.
NOTE TO TREATING PHYSICIAN: SOLVENTS MAY BE ASPIRED INTO LUNGS.
INHALATION: MOVE VICTIM TO FRESH AIR. IF NECESSARY SUPPORT BREATHING. IF BREATHING DOES NOT RETURN TO NORMAL WITHIN A FEW MINUTES, GET MEDICAL ATTENTION.
EYE CONTACT: IMMEDIATELY FLUSH THE EYES FOR AT LEAST 15 MINUTES WITH LARGE AMOUNTS OF GENTLE, FLOWING WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION.
SKIN CONTACT: FLUSH SKIN WITH WATER AND THEN WASH WITH SOAP AND WATER

**MATERIAL SAFETY DATA SHEET
PROCLEAN NO ODOR**

PRECAUTIONS FOR SAFE HANDLING, USE, AND DISPOSAL:

SPILLS * EXTINGUISH ALL SOURCES OF IGNITION.
* DIKE AREA AND ABSORB ON AN INERT ABSORBENT (SAND, VERMICULITE OR CLAY).
* PLACE IN CHEMICAL CONTAINER FOR DISPOSAL
WASTE DISPOSAL: UNCONTAMINATED PRODUCT DOES NOT MEET RCRA DEFINITIONS OF HAZARDOUS (FLAMMABLE) WASTE. CHECK LOCAL REGULATIONS BEFORE DISPOSAL.
HANDLING AND STORING: KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.
WARNING! EMPTIED CONTAINER RETAINS PRODUCT RESIDUE AND VAPORS. OBSERVE ALL PRECAUTIONS EVEN AFTER CONTAINER IS EMPTIED. WASHING WILL NOT MAKE CONTAINER SAFE FOR FOOD OR COSMETIC STORAGE.

TRANSPORTATION: DOT 49 CFR 172.102
DOT SHIPPING NAME: COMBUSTIBLE LIQUID, NOS (CONTAINS HYDROCARBON MIXTURE)
COMBUSTIBLE LIQUID, NA 1993, PG III
DOT HAZARD LABEL: NONE ON CONTAINERS OF LESS THAN 110 GALLONS

SPECIAL PROTECTION AND CONTROL MEASURES:

RESPIRATORY PROTECTION: WHEN CONCENTRATIONS EXCEED ESTABLISHED EXPOSURE LIMITS USE NIOSH/MSMA APPROVED RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE CCR-OV.
VENTILATION: MECHANICAL WHEN USED IN ENCLOSED AREAS.
PROTECTIVE GLOVES: RUBBER OR NEOPRENE.
EYE PROTECTION: CHEMICAL GOGGLES.

REPORTING REQUIREMENTS:

	<u>SARA TITLE III</u>
SECTION 302- EXTREME HAZARDOUS SUBSTANCES	REPORTING REQUIREMENTS
SECTION 304- HAZARDOUS RELEASES	NOT REQUIRED
SECTION 311- COMMUNITY RIGHT TO KNOW(R-T-K)	NOT REQUIRED
SECTION 312- R-T-K INVENTORY DATA	REPORTING REQUIRED FOR INVENTORY ABOVE TPQ.
SECTION 313- EMISSIONS AND RELEASE	REPORTING REQUIRED FOR INVENTORY ABOVE TPQ.
CERCLA	REPORTING MAY BE REQUIRED.
	SAME AS SECTION 304

THE INFORMATION CONTAINED HEREIN IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE SO. USERS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED THAT INFORMATION IS CURRENT, APPLICABLE AND SUITED TO THE CIRCUMSTANCES OF USE. VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSONS PROXIMATELY CAUSED BY THE MATERIAL IF REASONABLE SAFETY PROCEDURES ARE NOT ADHERED TO AS STIPULATED IN THE DATA SHEET. FURTHERMORE, VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY CAUSED BY ABNORMAL USE OF THIS MATERIAL EVEN IF REASONABLE SAFETY PROCEDURES ARE FOLLOWED.