

Specifications: Quick Release Low Odor Mastic Remover 5 gallon Pail and 55 Gallon Drum

Appearance:	Clear
Odor:	Extremely Low
Boiling Point:	>300
Vapor Density:	Heavier than Air
pH:	Neutral
Flash Point:	145 F (TCC)
DOT Shipping Class:	55
Shipping Weight:	5 gal. pail 35 lbs. 55 gal. drum 386 lbs.
Specific Gravity:	.824
Solubility:	Water emulsifiable
Coverage Rate:	Up to 225 sq. ft. per gallon.
Reactivity:	Stable
HMIS Rating:	1-2-0
Shelf Life:	None
DOT Shipping Name:	Not DOT Regulated On containers less than 120 gallons

**Twin-Chemicals
Atlanta, Georgia**

**(800) 442-4958
(770) 924-6147 fax**

www.twin-chemicals.com



Quick Release is a economical, safe, and fast acting low odor mastic remover. It is designed to dissolve asphaltic floor tile mastics and adhesives. This formula is also a hydro-treated petroleum base with an advanced surfactant system that allows easy rinsing for final cleaning.

Directions:

1. Read and understand material safety data sheet when using this product.
2. Cover and dike walls, woodwork, drains and cracks.
3. Apply Quick Release over all black mastic and adhesives. This may be done manually or with garden sprayer to 5' x 5' square areas.
4. Use a stiff bristled broom to agitate over the area. More than one application may be necessary.
5. Allow Quick Release to penetrate and soften the adhesive for 10-20 minutes.
6. After the mastic is dissolved use a squeegee to clean up liquefied mastic and dispose of properly. The use of absorbents may aid in this process.
7. Aggressively clean surface with water and **Pronto Extra Wetter wetting agent** detergent and allow to dry a minimum of 24-36 hours before applying new mastic and new flooring.



TWIN CHEMICALS, INC.

**(800) 442-4958 / (770) 924-6147 Fax
www.twin-chemicals.com
©2010 Twin Chemicals, Inc.**



MATERIAL SAFETY DATA SHEET
QUICK RELEASE LOW ODOR MASTIC REMOVER

PRECAUTIONS FOR SAFE HANDLING, USE, AND DISPOSAL:

SPILLS * EXTINGUISH ALL SOURCES OF IGNITION.

* DIKE AREA AND ABSORB ON AN INERT ABSORBENT (SAND, VERMICULITE OR CLAY).

* PLACE IN CHEMICAL CONTAINER FOR DISPOSAL

WASTE DISPOSAL: UNCONTAMINATED PRODUCT DOES NOT MEET RCRA DEFINITIONS OF HAZARDOUS (FLAMMABLE) WASTE. CHECK LOCAL REGULATIONS BEFORE DISPOSAL.

HANDLING AND STORING: KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.

WARNING! EMPTIED CONTAINER RETAINS PRODUCT RESIDUE AND VAPORS. OBSERVE ALL PRECAUTIONS EVEN AFTER CONTAINER IS EMPTIED. WASHING WILL NOT MAKE CONTAINER SAFE FOR FOOD OR COSMETIC STORAGE.

TRANSPORTATION: DOT 49 CFR 172.102

DOT shipping name: Containers of less than 120 gallons: D.O.T. Exempt.

Containers greater than 119 gallons: Combustible Liquid, NOS (Contains hydrocarbon mixture), Combustible Liquid, NA1993, PG II

DOT Hazard Label: Containers of less than 120 gallons: None

Containers greater than 119 gallons: Flammable

SPECIAL PROTECTION AND CONTROL MEASURES:

RESPIRATORY PROTECTION: WHEN CONCENTRATIONS EXCEED ESTABLISHED EXPOSURE LIMITS USE NIOSH/MSMA APPROVED RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE CCR-OV.

VENTILATION: MECHANICAL WHEN USED IN ENCLOSED AREAS.

PROTECTIVE GLOVES: RUBBER OR NEOPRENE.

EYE PROTECTION: CHEMICAL GOGGLES.

REPORTING REQUIREMENTS:

SARA TITLE III

REPORTING REQUIREMENTS

SECTION 302- EXTREME HAZARDOUS SUBSTANCES

NOT REQUIRED

SECTION 304- HAZARDOUS RELEASES

NOT REQUIRED

SECTION 311- COMMUNITY RIGHT TO KNOW (R-T-K)

REPORTING REQUIRED FOR INVENTORY ABOVE TPQ.

SECTION 312- R-T-K INVENTORY DATA

REPORTING REQUIRED FOR INVENTORY ABOVE TPQ.

SECTION 313- EMISSIONS AND RELEASE

REPORTING NOT REQUIRED.

CERCLA

SAME AS SECTION 304

-THE INFORMATION CONTAINED HEREIN IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE SO. USERS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED THAT INFORMATION IS CURRENT, APPLICABLE AND SUITED TO THE CIRCUMSTANCES OF USE. VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSONS PROXIMATELY CAUSED BY THE MATERIAL IF REASONABLE SAFETY PROCEDURES ARE NOT ADHERED TO AS STIPULATED IN THE DATA SHEET. FURTHERMORE. VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY CAUSED BY ABNORMAL USE OF THIS MATERIAL EVEN IF REASONABLE SAFETY PROCEDURES IS FOLLOWED.